

# **Annual Notification of AHERA Activities**

---

## **Little Egg Harbor Township Board of Education**

**Date:** November 12, 2018  
**To:** All School District Employees, Parents, Students  
**From:** Seth Cole, Educational Facilities Manager  
AHERA Program Manager  
**Subject:** Annual Notification of AHERA Activities

The following activities took place between July 1, 2017 and June 30, 2018 fulfilling the Little Egg Harbor Township Board of Education's requirements under *40 CFR 763 (AHERA)*.

### **George J. Mitchell Elementary School**

- AHERA Periodic Surveillance inspection were performed in January 2018 and April 2018.
- An AHERA Periodic Surveillance inspection is scheduled for October 2018
- An AHERA 3-Year Re-inspection is scheduled to be performed in April 2019.
- No removal of asbestos containing materials was performed during the 2017-2018 school year.
- No removal of asbestos containing materials is planned for the 2018-2019 school year.
- No major or minor fiber release episodes were recorded during the above period.

### **Frog Pond Elementary School**

*There are no assumed or confirmed asbestos containing building materials found in the Frog Pond School.*

### **Robert C. Wood Early Childhood Center**

*There are no assumed or confirmed asbestos containing building materials found in the Robert C. Wood Early Childhood Center.*

**Should you have any questions regarding the information included in this notification, or wish to review the District's asbestos management documentation, please contact Mr. Seth Cole at 609-296-1719.**